ROBBINS OTR OUTSIDE ENVELOPE SUGGESTED SIZING CHART

TIRE SIZE	ENVELOPE SIZE
38x20.00-16	60x15
14.00R20 MILITARY	60x20
16.00R20 MILITARY	63x19
48x25.00-20	72x20
48x31.00-20	79x15
L1400-20ML	55.5x15
14.00-21ML	55.5x15
I13.00-21ML	55.5x15
12.00-24ML	55.5x17
13.00-24	55.5x17
13.00-24ML	55.5x17
16.00-24	72x20
18.00-24	79x15
F24X	55.5x17
L12.00-24ML	55.5x17
L14.00-24ML	60x15
12.00-25ML2	55.5x17
14.00-25ML	60x15
15.5-25GR	55.5x15
16.00-25	72x20
17.5-25GR	60x15
18.00-25	79x15
20.5-25	72x20
21.00-25	91x20
23.5-25	81x20
26.5-25	91x20
29.5-25	97x20
L12.00-25ML	55.5x17
26.5-29	97x20
29.5-29	97x20
18.00-33	86x28
27.00-33	106x30
33.5-33	114x30
35/65-33	106x30
37.5x33	119x30
21.00-35	100x28
24.00-35	106x30
29.5-35	106x30
33.25-35	114x30
37.25-35	124x30
37.5-39	124x30
21.00-49	109x30
24.00-49	109x30
27.00-49	119x30

Suggested envelope selections are to be used as a guide only. Tire dimensions, tread designs and tread depths may require a larger or smaller envelope.

Robbins
MUSCLE SHOALS, AL

OTR Envelope | Fitment Guide

ROBBINS OTR
INSIDE/OUTSIDE SYSTEM

TIRE SIZE	INSIDE ENVELOPE	OUTSIDE ENVELOPE
16.00-20	16.00-20	61x30
11.00-24	11.00-24	48.5x16.5
12.00-24	13.00-24	55.5x17
13.00-24	13.00-24	55.5x17
14.00-24	14.00-24	61x30
16.00-24	18.00-24	72x27
18.00-24	18.00-24	79x30
20.00-24	18.00-24	61x30
12.00-25	13.00-24	55.5x17
13.00-25	13.00-24	55.5x17
14.00-25	14.00-24	61x30
15.00-25	14.00-24	61x30
15.5-25	15.5-25	59x26
16.00-25	18.00-24	72x27
17.5-25	17.5-25	63x27
18.00-25	18.00-24	79x30
20.5-25	20.5-25	72x20
21.00-25	21.00-25	85x30
23.5-25	23.5-25	85x30
24.00-25	26.5-25	91x25
26.5-25	26.5-25	91x25
29.5-25	29.5-25	97x25
26.5-29	26.5-29	100x28
29.5-29	29.5-29	100x28
18.00-33	18.00-33	91x25
27.00-33	35/65-33	106x35
33.5-33	35/65-33	114x35
37.5-33	35/65-33	119x35
35/65-33	35/65-33	114x35
21.00-35	21.00-25	100x28
24.00-35	24.00-35	106x35
29.5-35	33.25-35	106x35
33.25-35	33.25-35	114x35
37.25-35	37.25-35	124x35
33.5-39	37.5-39	124x35
37.5-39	37.5-39	124x35
38-39	37.5-39	124x35
40/65-39	37.5-39	124x35
21.00-49	24.00-49	109x35
24.00-49	24.00-49	114x35
27.00-49	27.00-49	119x35

Suggested envelope selections are to be used as a guide only. Tire dimensions, tread designs and tread depths may require a larger or smaller envelope.

OTR VALVE APPLICATION

Unless ordered as no valve, OTR envelopes will be valved as follows:

58" O.D. and smaller will have one valve installed.

58.5" – 65" O D. will have one valve installed and one valve in the box for the end user to install.

65.5" – 99.5" O.D. will have two valves in the box for the end user to install.

100" + O.D. will have four valves in the box for the end user to install.

Valves are not included in the price of the envelope.

OTR Envelope | Fitment Guide

Outside Envelope Dimensions



Size: 95” x 20”

Outside Envelope Diameter: 95” = 95”

Diameter Hole: 20” = 20”